

RCM-77



RECHARGE COLD MERCHANDISER

G-Series Coolers

FEATURES

- Exterior Dimensions (DH): 571.5 x 832 mm
- Internal Volume: 78 L
- Expand Your Cold Drink Availability, No Longer Are You Restricted by the Availability of Electric Power
- Unique Refrigeration System Designed for Use in Multiple Operating Environments Where Electricity is Not Available
- Designed to Maintain Ice Cold Beverage Temperatures for 12 Hours or More
- Tested to Meet the Most Stringent Performance Guidelines *
- Stimulate Impulse Sales in Any High Traffic Location:
 - Convenience Retail
 - Petroleum
 - Concessions/Stadium
 - Cafeteria
 - Special Events
 - Kiosks
- Heavy Duty Casters for Mobility and Flexibility of Placement at Retail
- Quick-Change Two Sided Graphic Panels
- CFC-Free Insulation
- 9' Cord with Cord Management System

CERTIFICATIONS

220v

- ROHS
- EMC
- SAA, MEPS Compliant (Australia)
- C-Tick (Australia)
- CB Scheme



U.S. Patent Nos. 8,215,125 and 9,038,412



* RCM will maintain average 1.6-4.4°C drink temperature in a 32°C environment for 12 hours without power. Actual performance may vary depending on operating environment.



8825 Boston Place, Rancho Cucamonga CA 91730 | Toll: 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756 | www.idw.global

The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.

RCM-77



RECHARGE COLD MERCHANDISER

G-Series Coolers

TECH SPECS

Refrigerant	R134a
Amps	1.8
Volts/Hz	220-240V/50Hz
Compressor HP	1/6

SHIPPING SPECS

Gross Weight	47 kg
Net Weight	42 kg
Carton Dims (WDH)	584x584x889
Units per Pallet	8
Shipping Options:	
Pallet Loaded	20' ~ 80 40'HQ ~ 160




U.S. Patent Nos. 8,215,125 and 9,038,412


DIMENSIONS

Exterior (DH): 571.5 x 832 mm
 Basket (DH): 378 x 453 mm
 Internal Volume: 78 L

EXTERIOR DIMENSIONS




INTERIOR DIMENSIONS



PACKOUT CAPACITIES

	Total Capacity
	53
	32



* For best performance allow 24 hours for initial charge and load with prechilled products.

** RCM will maintain average 35-40° drink temperature in a 90 degree environment for 12 hours without power. Actual performance may vary depending on operating environment.

U.S. Patent Nos. 8,215,125 and 9,038,412

RCM-77



RECHARGE COLD MERCHANDISER

G-Series Coolers

