



# 2020

## COOLER SUMMARY



GS-1	Total Capacity
16 oz. Can	20
500 ml. Can	20
CABINET DIMENSIONS (WDH): 14.125" x 16" x 19.75" 359 x 406 x 502 mm	
INTERIOR DIMENSIONS (WDH): 10.875" x 9.625" x 14.875" 276 x 244 x 378 mm	
SHIPPING LOADS: 40'HQ ~ 725 / 53' ~ 468	
# 807320	



[CLICK TO DOWNLOAD GS-1 QUICK SPEC](#)



GS-2	Total Capacity
16 oz. Can	55
500 ml. Can	55
CABINET DIMENSIONS (WDH): 17" x 19.5" x 26" 432 x 495 x 660 mm	
INTERIOR DIMENSIONS (WDH): 13.875" x 13.375" x 22.875" 352 x 340 x 581 mm	
SHIPPING LOADS: 40'HQ ~ 288 / 53' ~ 312	
# 806949	



[CLICK TO DOWNLOAD GS-2 QUICK SPEC](#)



GS-2	Total Capacity
16 oz. Can	55
500 ml. Can	55
CABINET DIMENSIONS (WDH): 18.25" x 19.5" x 26.75" 463.5 x 495 x 679.5 mm	
INTERIOR DIMENSIONS (WDH): 13.875" x 13.375" x 22.875" 352 x 340 x 581 mm	
SHIPPING LOADS: 40'HQ ~ 288 / 53' ~ 312	
MOQ: 500 UNITS	
# 807737	



[CLICK TO DOWNLOAD GS-2 QUICK SPEC](#)



GS-2	Total Capacity
16 oz. Can	55
500 ml. Can	55
CABINET DIMENSIONS (WDH): 17" x 19.5" x 26" 432 x 495 x 660 mm	
INTERIOR DIMENSIONS (WDH): 13.875" x 13.375" x 22.875" 352 x 340 x 581 mm	
SHIPPING LOADS: 40'HQ ~ 288 / 53' ~ 312	
MOQ: 500 UNITS	
# 808082	



[CLICK TO DOWNLOAD GS-2 QUICK SPEC](#)



GS-3	Total Capacity
16 oz. Can	75
500 ml. Can	75
CABINET DIMENSIONS (WDH): 19.5" x 19.75" x 35.5" 495 x 502 x 902 mm	
INTERIOR DIMENSIONS (WDH): 15" x 11.625" x 30.5" 381 x 295 x 775 mm	
SHIPPING LOADS: 40'HQ ~ 184 / 53' ~ 208	
MOQ: 500 UNITS	
# 808062	



[CLICK TO DOWNLOAD GS-3 QUICK SPEC](#)



GS-3	Total Capacity
16 oz. Can	75
500 ml. Can	75
CABINET DIMENSIONS (WDH): 18.25" x 19.75" x 34.75" 463.5 x 502 x 883 mm	
INTERIOR DIMENSIONS (WDH): 15" x 11.625" x 30.5" 381 x 295 x 775 mm	
SHIPPING LOADS: 40'HQ ~ 184 / 53' ~ 208	
# 808065	



[CLICK TO DOWNLOAD GS-3 QUICK SPEC](#)



8825 Boston Place, Rancho Cucamonga CA 91730 | Toll: 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756 | [www.idw.global](http://www.idw.global)

The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.



# 2020

## COOLER SUMMARY



GS-3	Total Capacity
16.9 oz. Can	80
25.4 oz Bottles	45
CABINET DIMENSIONS (WDH): 18.25" x 19.75" x 34.75" 463.5 x 502 x 883 mm	
INTERIOR DIMENSIONS (WDH): 15" x 11.625" x 30.5" 381 x 295 x 775 mm	
SHIPPING LOADS: 40'HQ ~ 184 / 53' ~ 208	
# 811012	

[CLICK TO DOWNLOAD GS-3 QUICK SPEC](#)



G-4	Total Capacity
16 oz Can	95
500 ml. Can	95
CABINET DIMENSIONS (WDH): 18.25" x 20.75" x 42" 463 x 527 x 1067 mm	
INTERIOR DIMENSIONS (WDH): 15" x 12.125" x 37.25" 381 x 308 x 946 mm	
SHIPPING LOADS: 40'HQ ~ 184 / 53' ~ 208	
# 812386	

[CLICK TO DOWNLOAD G-4 QUICK SPEC](#)



GCG-4s	Total Capacity
16 oz. Can	40
500 ml. Can	40
CABINET DIMENSIONS (WDH): 14" x 17.75" x 28.125" 356 x 451 x 714 mm	
INTERIOR DIMENSIONS (WDH): 11" x 14.375" x 13.875" 279 x 365 x 352 mm	
SHIPPING LOADS: 40'HQ ~ 405 / 53' ~ 468	
# 802582	

[CLICK TO DOWNLOAD GCG-4S QUICK SPEC](#)



G-5	Total Capacity
16 oz Can	115
500 ml. Can	115
CABINET DIMENSIONS (WDH): 18.25" x 20.25" x 52.625" 463.5 x 514 x 1337 mm	
INTERIOR DIMENSIONS (WDH): 15" x 12" x 47.625" 381 x 305 x 1210 mm	
SHIPPING LOADS: 40'HQ ~ 92 / 53' ~ TBD	

[CLICK TO DOWNLOAD G-5 QUICK SPEC](#)



GS-5	Total Capacity
16 oz Can	115
500 ml. Can	115
CABINET DIMENSIONS (WDH): 18.25" x 20.25" x 52.625" 463.5 x 514 x 1337 mm	
INTERIOR DIMENSIONS (WDH): 15" x 12" x 47.625" 381 x 305 x 1210 mm	
SHIPPING LOADS: 40'HQ ~ 92 / 53' ~ TBD	

[CLICK TO DOWNLOAD GS-5 QUICK SPEC](#)



G-6c	Total Capacity
16 oz. Can	77
500 ml. Can	77
CABINET DIMENSIONS (WDH): 22.125" x 21.125" x 36.125" 562 x 537 x 918 mm	
INTERIOR DIMENSIONS (WDH): 18.68" x 14.13" x 23.25" 474 x 359 x 590 mm	
SHIPPING LOADS: 40'HQ ~ 152 / 53' ~ 208	
# 807475	

[CLICK TO DOWNLOAD G-6C QUICK SPEC](#)





# 2020

## COOLER SUMMARY



G-6cb	Total Capacity
16 oz. Can	77
500 ml. Can	77
CABINET DIMENSIONS (WDH): 22.125" x 21.125" x 36.125" 562 x 537 x 918 mm	
INTERIOR DIMENSIONS (WDH): 18.68" x 14.13" x 23.25" 474 x 359 x 590 mm	
SHIPPING LOADS: 40'HQ ~ 152 / 53' ~ 208	
# 806364	



[CLICK TO DOWNLOAD G-6CB QUICK SPEC](#)



G-9	Total Capacity
16 oz. Can	162
500 ml. Can	162
CABINET DIMENSIONS (WDH): 19.875" x 21.75" x 63.625" 505 x 552 x 1616 mm	
INTERIOR DIMENSIONS (WDH): 16.25" x 15.75" x 46.25" 413 x 400 x 1175 mm	
SHIPPING LOADS: 40'HQ ~ 88 / 53' ~ 120	
# 807477	



[CLICK TO DOWNLOAD G-9 QUICK SPEC](#)



GCG-9b	Total Capacity
16 oz. Can	162
500 ml. Can	162
CABINET DIMENSIONS (WDH): 19.875" x 21.75" x 63.625" 505 x 552 x 1616 mm	
INTERIOR DIMENSIONS (WDH): 16.25" x 15.75" x 46.25" 413 x 400 x 1175 mm	
SHIPPING LOADS: 40'HQ ~ 88 / 53' ~ 120	
# 806365	



[CLICK TO DOWNLOAD GCG-9B QUICK SPEC](#)



GCG-9	Total Capacity
16 oz. Can	162
500 ml. Can	162
CABINET DIMENSIONS (WDH): 21.125" x 21.75" x 64.375" 536.5 x 552 x 1635 mm	
INTERIOR DIMENSIONS (WDH): 16.25" x 15.75" x 46.25" 413 x 400 x 1175 mm	
SHIPPING LOADS: 40'HQ ~ 88 / 53' ~ 120	
MOQ: 500 UNITS	
# 808064	



[CLICK TO DOWNLOAD GCG-9 QUICK SPEC](#)



G-10f	Total Capacity
16 oz. Can	240
500 ml. Can	240
CABINET DIMENSIONS (WDH): 25" x 23.875" x 54" 635 x 606 x 1372 mm	
INTERIOR DIMENSIONS (WDH): 21.375" x 18.5" x 41" 543 x 470 x 1041 mm	
SHIPPING LOADS: 40'HQ ~ 54 / 53' ~ 69	
# 807478	



[CLICK TO DOWNLOAD G-10F QUICK SPEC](#)



GCG-10f	Total Capacity
16 oz. Can	240
500 ml. Can	240
CABINET DIMENSIONS (WDH): 25" x 23.875" x 54" 635 x 606 x 1372 mm	
INTERIOR DIMENSIONS (WDH): 21.375" x 18.5" x 41" 543 x 470 x 1041 mm	
SHIPPING LOADS: 40'HQ ~ 54 / 53' ~ 69	
MOQ: 500 UNITS	
# 808081	



[CLICK TO DOWNLOAD GCG-10F QUICK SPEC](#)



8825 Boston Place, Rancho Cucamonga CA 91730 | Toll: 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756 | [www.idw.global](http://www.idw.global)

The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.



# 2020

## COOLER SUMMARY



<b>GCG-10fb</b>	<b>Total Capacity</b>
16 oz. Can	<b>240</b>
500 ml. Can	<b>240</b>
CABINET DIMENSIONS (WDH): 25" x 23.875" x 54" 635 x 606 x 1372 mm	
INTERIOR DIMENSIONS (WDH): 21.375" x 18.5" x 41" 543 x 470 x 1041 mm	
SHIPPING LOADS: 40'HQ ~ 54 / 53' ~ 69	
<b># 806091</b>	

[CLICK TO DOWNLOAD GCG-10FB QUICK SPEC](#)



<b>GVG-10fb</b>	<b>Total Capacity</b>
16 oz. Can	<b>240</b>
500 ml. Can	<b>240</b>
CABINET DIMENSIONS (WDH): 25" x 23.875" x 54" 635 x 606 x 1372 mm	
INTERIOR DIMENSIONS (WDH): 21.375" x 18.5" x 41" 543 x 470 x 1041 mm	
SHIPPING LOADS: 40'HQ ~ 54 / 53' ~ 69	
<b># 812501</b>	

[CLICK TO DOWNLOAD GVG-10FB QUICK SPEC](#)



<b>G-11c</b>	<b>Total Capacity</b>
16 oz. Can	<b>84</b>
500 ml. Can	<b>84</b>
CABINET DIMENSIONS (WDH): 16" x 16.375" x 74" 406 x 416 x 1879 mm	
INTERIOR DIMENSIONS (WDH): 12.125" x 9.5" x 52.75" 308 x 241 x 1339 mm	
SHIPPING LOADS: 40'HQ ~ 135 / 53' ~ 185	

[CLICK TO DOWNLOAD G-11C QUICK SPEC](#)



<b>GCG-11cb</b>	<b>Total Capacity</b>
16 oz. Can	<b>84</b>
500 ml. Can	<b>84</b>
CABINET DIMENSIONS (WDH): 16" x 16.375" x 74" 406 x 416 x 1879 mm	
INTERIOR DIMENSIONS (WDH): 12.125" x 9.5" x 52.75" 308 x 241 x 1339 mm	
SHIPPING LOADS: 40'HQ ~ 135 / 53' ~ 185	
<b># 811104</b>	

[CLICK TO DOWNLOAD GCG-11CB QUICK SPEC](#)



<b>G-12f</b>	<b>Total Capacity</b>
16 oz. Can	<b>288</b>
500 ml. Can	<b>288</b>
CABINET DIMENSIONS (WDH): 25" x 24.125" x 63.5" 635 x 613 x 1613 mm	
INTERIOR DIMENSIONS (WDH): 21.375" x 18.5" x 50.125" 543 x 470 x 1273 mm	
SHIPPING LOADS: 40'HQ ~ 54 / 53' ~ 69	
<b># 807479</b>	

[CLICK TO DOWNLOAD G-12F QUICK SPEC](#)



<b>GCG-12fb</b>	<b>Total Capacity</b>
16 oz. Can	<b>288</b>
500 ml. Can	<b>288</b>
CABINET DIMENSIONS (WDH): 25" x 24.125" x 63.5" 635 x 613 x 1613 mm	
INTERIOR DIMENSIONS (WDH): 21.375" x 18.5" x 50.125" 543 x 470 x 1273 mm	
SHIPPING LOADS: 40'HQ ~ 54 / 53' ~ 69	
<b># 806092</b>	

[CLICK TO DOWNLOAD GCG-12FB QUICK SPEC](#)



8825 Boston Place, Rancho Cucamonga CA 91730 | Toll: 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756 | [www.idw.global](http://www.idw.global)

The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.



# 2020

## COOLER SUMMARY



<b>G-26c</b>	<b>Total Capacity</b>
16 oz. Can	<b>570</b>
500 ml. Can	<b>570</b>
<b>CABINET DIMENSIONS (WDH):</b> 30" x 30.5" x 78.375" 762 x 775 x 1991 mm	
<b>INTERIOR DIMENSIONS (WDH):</b> 26.5" x 25.125" x 51.5" 673 x 638 x 1308 mm	
<b>SHIPPING LOADS:</b> 40'HQ ~ 45 / 53' ~ 60	
<b># 807500</b>	

[CLICK TO DOWNLOAD G-26C QUICK SPEC](#)



<b>GCG-26cb</b>	<b>Total Capacity</b>
16 oz. Can	<b>570</b>
500 ml. Can	<b>570</b>
<b>CABINET DIMENSIONS (WDH):</b> 30" x 30.5" x 78.375" 762 x 775 x 1991 mm	
<b>INTERIOR DIMENSIONS (WDH):</b> 26.5" x 25.125" x 51.5" 673 x 638 x 1308 mm	
<b>SHIPPING LOADS:</b> 40'HQ ~ 45 / 53' ~ 60	
<b># 806093</b>	

[CLICK TO DOWNLOAD GCG-26CB QUICK SPEC](#)



<b>GVG-26cb</b>	<b>Total Capacity</b>
16 oz. Can	<b>570</b>
500 ml. Can	<b>570</b>
<b>CABINET DIMENSIONS (WDH):</b> 30" x 30.5" x 78.375" 762 x 775 x 1991 mm	
<b>INTERIOR DIMENSIONS (WDH):</b> 26.5" x 25.125" x 51.5" 673 x 638 x 1308 mm	
<b>SHIPPING LOADS:</b> 40'HQ ~ 45 / 53' ~ 60	
<b># 812502</b>	

[CLICK TO DOWNLOAD GVG-26CB QUICK SPEC](#)



<b>G-77</b>	<b>Total Capacity</b>
16 oz. Can	<b>60</b>
500 ml. Can	<b>60</b>
<b>CABINET DIMENSIONS (DH):</b> 22.375" x 32.625" 568 x 829 mm	
<b>INTERIOR DIMENSIONS (DH):</b> 18" x 18.75" 457 x 476 mm	
<b>SHIPPING LOADS:</b> 40'HQ ~ 240 / 53' ~ 208	

[CLICK TO DOWNLOAD G-77 QUICK SPEC](#)



<b>G-80</b>	<b>Total Capacity</b>
16 oz. Can	<b>60</b>
500 ml. Can	<b>60</b>
<b>CABINET DIMENSIONS (DH):</b> 18" x 42.5" 457 x 1080 mm	
<b>INTERIOR DIMENSIONS (DH):</b> 14.5" x 12.125" 368 x 308 mm	
<b>SHIPPING LOADS:</b> 40'HQ ~ 240 / 53' ~ 312	
<b># 806976</b>	

[CLICK TO DOWNLOAD G-80 QUICK SPEC](#)



<b>G-80L</b>	<b>Total Capacity</b>
16 oz. Can	<b>60</b>
500 ml. Can	<b>60</b>
<b>CABINET DIMENSIONS (WDH):</b> 18" x 20.25" x 43.25" 457 x 514 x 1099 mm	
<b>INTERIOR DIMENSIONS (DH):</b> 14.17" x 12.46" 360 x 316 mm	
<b>SHIPPING LOADS:</b> 40'HQ ~ 192 / 53' ~ 312	

[CLICK TO DOWNLOAD G-80L QUICK SPEC](#)





# 2020

## COOLER SUMMARY



RCM-77	Total Capacity
16 oz. Can	44
500 ml. Can	44
CABINET DIMENSIONS (DH):	22.5" x 32.75" 571.5 x 832 mm
INTERIOR DIMENSIONS (DH):	14.88" x 17.83" 378 x 453 mm
SHIPPING LOADS:	40'HQ ~ 240 / 53' ~ 208
# 806961	

[CLICK TO DOWNLOAD RCM-77 QUICK SPEC](#)



RCM-77	Total Capacity
16 oz. Can	44
500 ml. Can	44
CABINET DIMENSIONS (DH):	22.5" x 32.75" 571.5 x 832 mm
INTERIOR DIMENSIONS (DH):	14.88" x 17.83" 378 x 453 mm
SHIPPING LOADS:	40'HQ ~ 240 / 53' ~ 208
# 806873	

[CLICK TO DOWNLOAD RCM-77 QUICK SPEC](#)



RCM <sup>2</sup>	Total Capacity
16 oz. Can	64
500 ml. Can	64
CABINET DIMENSIONS (WDH)	22" x 17.5" x 39.375" 559 x 445 x 1000 mm
INTERIOR DIMENSIONS (DH):	14.83" x 8.9" x 23.59" 376 x 226 x 599 mm
SHIPPING LOADS:	40'HQ ~ 182 / 53' ~ 208
# 806572	

[CLICK TO DOWNLOAD RCM2 QUICK SPEC](#)



RCM-Trio	Total Capacity
16 oz. Can	72
500 ml. Can	72
CABINET DIMENSIONS (WDH)	32.5" x 19.25" x 38" 825.5 x 489 x 965 mm
BASKET DIMENSIONS (DH):	7" x 9.125" x 19.25" 178 x 232 x 489 mm
SHIPPING LOADS:	40'HQ ~ 110 / 53' ~ 150
# 806743	

[CLICK TO DOWNLOAD RCM-TRIO QUICK SPEC](#)



Trio Cooler	Total Capacity
16 oz. Can	114
500 ml. Can	114
CABINET DIMENSIONS (DH)	32" x 20" x 35.5" 813 x 508 x 902 mm
BASKET DIMENSIONS (DH):	8.93" x 10.59" x 21.25" 227 x 269 x 540 mm
SHIPPING LOADS:	40'HQ ~ 110 / 53' ~ 150
# 809935	

[CLICK TO DOWNLOAD TRIO QUICK SPEC](#)



Back Bar Cooler	Total Capacity
16 oz. Can	24
500 ml. Can	24
CABINET DIMENSIONS (WDH):	26.65" x 18.75" x 15.25" 677 x 476 x 387 mm
SHIPPING LOADS:	40'HQ ~ 360 / 53' ~ 312
# 809935	

[CLICK TO DOWNLOAD BACK BAR COOLER SELL SHEET](#)



8825 Boston Place, Rancho Cucamonga CA 91730 | Toll: 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756 | [www.idw.global](http://www.idw.global)

The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.