

GCG-9

UPRIGHT COOLER

G-Series Coolers

FEATURES

- Exterior Dimensions (WDH): 19.875" x 21.75" x 63.625"
- Internal Volume: 7.2 ft³
- Dynamic LED Lighting In Door Provides Enhanced Product Illumination While Greatly Reducing Energy Consumption
- Forced Air Refrigeration System For Fast Product Temperature Pull Down
- High Impact Side Panel Graphics
- High Density Environmentally Friendly Insulation
- Utilizes Climate-Friendly Natural Refrigerant
- 4 Fully Adjustable Powder-Coated Metal Shelves
- Double-Paned, Low "E", Self-Closing Glass Door
- LED Interior Lighting
- Durable Pre-Painted Steel Cabinet and Heavy Duty Inner Liner
- Adjustable Temperature Control
- 9' Heavy Duty Power Cord

CERTIFICATIONS

110v

- UL471
- NSF/ANSI-7: Type 2 Display Refrigerator
- ENERGY STAR[®] Qualified



High Visibility LED
Illuminated Logo
in Door



GCG-9

UPRIGHT COOLER

G-Series Coolers

TECH SPECS

| | |
|---------------|---------------|
| Refrigerant | R290 |
| Amps | 1.7 |
| Volts/Hz | 110-120V/60Hz |
| Compressor HP | 1/5 |

SHIPPING SPECS

| | |
|-------------------|--------------------|
| Gross Weight |187 lbs |
| Net Weight |158 lbs |
| Carton Dims (WDH) |20"x23"x69.5" |
| Units per Pallet |1 |
| Shipping Options: | |
| Floor Loaded |20' ~ 44 |
| | 40'HQ ~ 88 |
| | 53' ~ 120 |

DIMENSIONS






Exterior: 19.875"W x 21.75"D x 63.625"H

Interior: 16.25"W x 15.75"D x 46.25"H

Shelf: 15.25"W x 13"D

Internal Volume: 7.2 ft³


PACKOUT CAPACITIES

| | Facings | Deep | Total Capacity | Total Rows |
|---|---------|------|----------------|------------|
|  6 Shelves + Base | 6 | x 5 | = 210* | 7 |
|  Top | 6 | x 2 | = 162* | 6 |
|  4 Shelves + Base | 6 | x 5 | | |
|  3 Shelves | 5 | x 4 | = 85** | 4 |
|  Base | 5 | x 5 | | |

*Additional shelves, beyond what is supplied with the cooler, may be required to achieve this maximum pack-out.
 ** 20oz pack-outs may vary depending on package size.



EXTERIOR DIMENSIONS



INTERIOR DIMENSIONS

