



## REFRIGERATION SOLUTIONS

### For Single Serve Beverages and Associated Applications

For over 20 years IDW has been honored to provide the finest custom refrigeration and point of purchase displays to our clients around the world.

No matter your application requirements, we have a model to meet your needs, with outstanding style and trusted reliability. As an added bonus, illuminated options are available on most of our models.

IDW delivers a unique combination of:

- High quality equipment
- Unique footprints
- Immediate availability on many models
- Extremely competitive pricing

▶ COUNTERTOP COOLERS

▶ UPRIGHT COOLERS

▶ DOUBLE DOOR COOLERS

▶ IMPULSE COOLERS



The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.

📍 8825 Boston Place, Rancho Cucamonga CA 91730 📞 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756

# 2024 Quick Specs

## COUNTERTOP COOLERS

## REFRIGERATION CATALOG



G-Baby	Total Capacity
12 oz. Can	18
16 oz. Can	18
EXTERIOR DIMENSIONS: 13.375"W x 17.625"D x 24.5"H	
INTERIOR DIMENSIONS: 10"W x 9.25"D x 14.5"H	
SHIPPING LOADS: 40'HQ ~ 620 / 53' ~ 468	

[CLICK TO VIEW G-BABY QUICK SPEC](#)



GCG-baby	Total Capacity
12 oz. Can	18
16 oz. Can	18
EXTERIOR DIMENSIONS: 13.375"W x 17.625"D x 24.5"H	
INTERIOR DIMENSIONS: 10"W x 9.25"D x 14.5"H	
SHIPPING LOADS: 40'HQ ~ 620 / 53' ~ 468	

[CLICK TO VIEW GCG-BABY QUICK SPEC](#)



G-1	Total Capacity
12 oz. Can	20
16 oz. Can	20
CABINET DIMENSIONS: 14.125"W x 16"D x 19.75"H	
INTERIOR DIMENSIONS: 10.875"W x 9.625"D x 14.875"H	
SHIPPING LOADS: 40'HQ ~ 725 / 53' ~ 468	

[CLICK TO VIEW G-1 QUICK SPEC](#)



GS-1	Total Capacity
12 oz. Can	20
16 oz. Can	20
CABINET DIMENSIONS: 14.125"W x 16"D x 19.75"H	
INTERIOR DIMENSIONS: 10.875"W x 9.625"D x 14.875"H	
SHIPPING LOADS: 40'HQ ~ 725 / 53' ~ 468	

[CLICK TO VIEW GS-1 QUICK SPEC](#)



G-1.5	Total Capacity
12 oz. Can	20
16 oz. Can	20
CABINET DIMENSIONS: 14.5"W x 15.875"D x 21.5"H	
INTERIOR DIMENSIONS: 11.375"W x 9.5"D x 16.875"H	
SHIPPING LOADS: 40'HQ ~ 500 / 53' ~ 468	

[CLICK TO VIEW G-1.5 QUICK SPEC](#)



GS-1.5	Total Capacity
12 oz. Can	20
16 oz. Can	20
CABINET DIMENSIONS: 14.5"W x 15.875"D x 21.5"H	
INTERIOR DIMENSIONS: 11.375"W x 9.5"D x 16.875"H	
SHIPPING LOADS: 40'HQ ~ 500 / 53' ~ 468	

[CLICK TO VIEW GS-1.5 QUICK SPEC](#)



G-2	Total Capacity
12 oz. Can	55
16 oz. Can	55
20 oz. PET	20
CABINET DIMENSIONS: 17"W x 19.5"D x 26"H	
INTERIOR DIMENSIONS: 13.875"W x 13.375"D x 22.875"H	
SHIPPING LOADS: 40'HQ ~ 288 / 53' ~ 312	

[CLICK TO VIEW G-2 QUICK SPEC](#)



GS-2	Total Capacity
12 oz. Can	55
16 oz. Can	55
20 oz. PET	20
CABINET DIMENSIONS: 17"W x 19.5"D x 26"H	
INTERIOR DIMENSIONS: 13.875"W x 13.375"D x 22.875"H	
SHIPPING LOADS: 40'HQ ~ 288 / 53' ~ 312	

[CLICK TO VIEW GS-2 QUICK SPEC](#)

# 2024 Quick Specs

## COUNTERTOP COOLERS

## REFRIGERATION CATALOG



G-2.5	Total Capacity
12 oz. Can	55
16 oz. Can	55
20 oz. PET	35

**CABINET DIMENSIONS:** 18.25"W x 20.25"D x 27.75"H  
**INTERIOR DIMENSIONS:** 15.125"W x 12"D x 23"H  
**SHIPPING LOADS:** 40'HQ ~ 276 / 53' ~ 312



[CLICK TO VIEW G-2.5 QUICK SPEC](#)



GS-2.5	Total Capacity
12 oz. Can	55
16 oz. Can	55
20 oz. PET	35

**CABINET DIMENSIONS:** 18.25"W x 20.25"D x 27.75"H  
**INTERIOR DIMENSIONS:** 15.125"W x 12"D x 23"H  
**SHIPPING LOADS:** 40'HQ ~ 276 / 53' ~ 312



[CLICK TO VIEW GS-2.5 QUICK SPEC](#)



G-2c	Total Capacity
12 oz. Can	55
16 oz. Can	40
20 oz. PET	28

**CABINET DIMENSIONS:** 17.25"W x 19.5"D x 30.375"H  
**INTERIOR DIMENSIONS:** 14"W x 12.25"D x 19.125"H  
**SHIPPING LOADS:** 40'HQ ~ 288 / 53' ~ 208



[CLICK TO VIEW G-2C QUICK SPEC](#)



GCG-2c	Total Capacity
12 oz. Can	55
16 oz. Can	40
20 oz. PET	28

**CABINET DIMENSIONS:** 17.25"W x 19.5"D x 30.375"H  
**INTERIOR DIMENSIONS:** 14"W x 12.25"D x 19.125"H  
**SHIPPING LOADS:** 40'HQ ~ 288 / 53' ~ 208



[CLICK TO VIEW GCG-2C QUICK SPEC](#)



G-3	Total Capacity
12 oz. Can	75
16 oz. Can	75
20 oz. PET	55

**CABINET DIMENSIONS:** 18.25"W x 20.25"D x 34.75"H  
**INTERIOR DIMENSIONS:** 15"W x 11.625"D x 30.5"H  
**SHIPPING LOADS:** 40'HQ ~ 184 / 53' ~ 208



[CLICK TO VIEW G-3 QUICK SPEC](#)



GS-3	Total Capacity
12 oz. Can	75
16 oz. Can	75
20 oz. PET	55

**CABINET DIMENSIONS:** 18.25"W x 20.25"D x 34.75"H  
**INTERIOR DIMENSIONS:** 15"W x 11.625"D x 30.5"H  
**SHIPPING LOADS:** 40'HQ ~ 184 / 53' ~ 208



[CLICK TO VIEW GS-3 QUICK SPEC](#)



G-4	Total Capacity
12 oz. Can	95
16 oz. Can	95
20 oz. PET	75

**CABINET DIMENSIONS:** 18.25"W x 20.25"D x 42"H  
**INTERIOR DIMENSIONS:** 15"W x 12.125"D x 37.25"H  
**SHIPPING LOADS:** 40'HQ ~ 184 / 53' ~ 208



[CLICK TO VIEW G-4 QUICK SPEC](#)



GS-4	Total Capacity
12 oz. Can	95
16 oz. Can	95
20 oz. PET	75

**CABINET DIMENSIONS:** 18.25"W x 20.25"D x 42"H  
**INTERIOR DIMENSIONS:** 15"W x 12.125"D x 37.25"H  
**SHIPPING LOADS:** 40'HQ ~ 184 / 53' ~ 208



[CLICK TO VIEW GS-4 QUICK SPEC](#)

## REFRIGERATION CATALOG



G-6c	Total Capacity
12 oz. Can	77
16 oz. Can	77
20 oz. PET	48
CABINET DIMENSIONS: 22.125"W x 21.125"D x 36.125"H	
INTERIOR DIMENSIONS: 18.68"W x 14.13"D x 23.25"H	
SHIPPING LOADS: 40'HQ ~ 152 / 53' ~ 208	



[CLICK TO VIEW G-6C QUICK SPEC](#)



GCG-6c	Total Capacity
12 oz. Can	77
16 oz. Can	77
20 oz. PET	48
CABINET DIMENSIONS: 22.125"W x 21.125"D x 36.125"H	
INTERIOR DIMENSIONS: 18.68"W x 14.13"D x 23.25"H	
SHIPPING LOADS: 40'HQ ~ 152 / 53' ~ 208	



[CLICK TO VIEW GCG-6C QUICK SPEC](#)



G-7	Total Capacity
12 oz. Can	138
16 oz. Can	108
20 oz. PET	84
CABINET DIMENSIONS: 21.375"W x 23.75"D x 37.375"H	
INTERIOR DIMENSIONS: 17.75"W x 17"D x 30.625"H	
SHIPPING LOADS: 40'HQ ~ 144 / 53' ~ 208	



[CLICK TO VIEW G-7 QUICK SPEC](#)



GCG-7	Total Capacity
12 oz. Can	138
16 oz. Can	108
20 oz. PET	84
CABINET DIMENSIONS: 21.375"W x 23.75"D x 37.375"H	
INTERIOR DIMENSIONS: 17.75"W x 17"D x 30.625"H	
SHIPPING LOADS: 40'HQ ~ 144 / 53' ~ 208	



[CLICK TO VIEW GCG-7 QUICK SPEC](#)

## Our Mission:

Deliver the best in-store marketing Solutions to our customers with Innovation & Creativity.

# 2024 Quick Specs

## ▶ UPRIGHT COOLERS

## REFRIGERATION CATALOG



G-5	Total Capacity
12 oz. Can	135
16 oz. Can	115
20 oz. PET	95

**CABINET DIMENSIONS:** 18.25"W x 20.25"D x 52.625"H  
**INTERIOR DIMENSIONS:** 15"W x 12"D x 47.625"H  
**SHIPPING LOADS:** 40'HQ ~ 92 / 53' ~ 104



[CLICK TO VIEW G-5 QUICK SPEC](#)



GS-5	Total Capacity
12 oz. Can	135
16 oz. Can	115
20 oz. PET	95

**CABINET DIMENSIONS:** 18.25"W x 20.25"D x 52.625"H  
**INTERIOR DIMENSIONS:** 15"W x 12"D x 47.625"H  
**SHIPPING LOADS:** 40'HQ ~ 92 / 53' ~ 104



[CLICK TO VIEW GS-5 QUICK SPEC](#)



G-6.5	Total Capacity
12 oz. Can	175
16 oz. Can	135
20 oz. PET	115

**CABINET DIMENSIONS:** 18.25"W X 20.25"D X 65"H  
**INTERIOR DIMENSIONS:** 15"W X 12"D X 59.5"H  
**SHIPPING LOADS:** 40'HQ ~ TBD / 53' ~ TBD



[CLICK TO VIEW G-6.5 QUICK SPEC](#)



GS-6.5	Total Capacity
12 oz. Can	175
16 oz. Can	135
20 oz. PET	115

**CABINET DIMENSIONS:** 18.25"W X 20.25"D X 65"H  
**INTERIOR DIMENSIONS:** 15"W X 12"D X 59.5"H  
**SHIPPING LOADS:** 40'HQ ~ TBD / 53' ~ TBD



[CLICK TO VIEW GS-6.5 QUICK SPEC](#)



G-9	Total Capacity
12 oz. Can	210
16 oz. Can	162
20 oz. PET	85

**CABINET DIMENSIONS:** 19.875"W x 21.75"D x 63.625"H  
**INTERIOR DIMENSIONS:** 16.25"W x 15.75"D x 46.25"H  
**SHIPPING LOADS:** 40'HQ ~ 88 / 53' ~ 120



[CLICK TO VIEW G-9 QUICK SPEC](#)



GCG-9	Total Capacity
12 oz. Can	210
16 oz. Can	162
20 oz. PET	85

**CABINET DIMENSIONS:** 19.875"W x 21.75"D x 63.625"H  
**INTERIOR DIMENSIONS:** 16.25"W x 15.75"D x 46.25"H  
**SHIPPING LOADS:** 40'HQ ~ 88 / 53' ~ 120



[CLICK TO VIEW GCG-9 QUICK SPEC](#)



G-9 Split	Total Capacity
12 oz. Can	210
16 oz. Can	162
20 oz. PET	85

**CABINET DIMENSIONS:** 19.875"W x 21.75"D x 63.625"H  
**INTERIOR DIMENSIONS:** 16.25"W x 15.75"D x 46.25"H  
**SHIPPING LOADS:** 40'HQ ~ 88 / 53' ~ 120



[CLICK TO VIEW G-9 SPLIT QUICK SPEC](#)



GCG-9 Split	Total Capacity
12 oz. Can	210
16 oz. Can	162
20 oz. PET	85

**CABINET DIMENSIONS:** 19.875"W x 21.75"D x 63.625"H  
**INTERIOR DIMENSIONS:** 16.25"W x 15.75"D x 46.25"H  
**SHIPPING LOADS:** 40'HQ ~ 88 / 53' ~ 120



[CLICK TO VIEW GCG-9 SPLIT QUICK SPEC](#)

# 2024 Quick Specs

## ▶ UPRIGHT COOLERS

## REFRIGERATION CATALOG



G-9.5	Total Capacity
12 oz. Can	300
16 oz. Can	240
20 oz. PET	125

**CABINET DIMENSIONS:** 19.875"W X 21.75"D X 75.25"H  
**INTERIOR DIMENSIONS:** 16.25"W X 15.75"D X 61.5"H  
**SHIPPING LOADS:** 40'HQ ~ 88 / 53' ~ 120



[CLICK TO VIEW G-9.5 QUICK SPEC](#)



GCG-9.5	Total Capacity
12 oz. Can	300
16 oz. Can	240
20 oz. PET	125

**CABINET DIMENSIONS:** 19.875"W X 21.75"D X 75.25"H  
**INTERIOR DIMENSIONS:** 16.25"W X 15.75"D X 61.5"H  
**SHIPPING LOADS:** 40'HQ ~ 88 / 53' ~ 120



[CLICK TO VIEW GCG-9.5 QUICK SPEC](#)



G-10	Total Capacity
12 oz. Can	288
16 oz. Can	240
20 oz. PET	168

**CABINET DIMENSIONS:** 25"W x 23.875"D x 54"H  
**INTERIOR DIMENSIONS:** 21.375"W x 18.5"D x 41"H  
**SHIPPING LOADS:** 40'HQ ~ 54 / 53' ~ 72



[CLICK TO VIEW G-10 QUICK SPEC](#)



GCG-10	Total Capacity
12 oz. Can	288
16 oz. Can	240
20 oz. PET	168

**CABINET DIMENSIONS:** 25"W x 23.875"D x 54"H  
**INTERIOR DIMENSIONS:** 21.375"W x 18.5"D x 41"H  
**SHIPPING LOADS:** 40'HQ ~ 54 / 53' ~ 72



[CLICK TO VIEW GCG-10 QUICK SPEC](#)



G-11c	Total Capacity
12 oz. Can	96
16 oz. Can	84
20 oz. PET	60

**CABINET DIMENSIONS:** 16"W x 16.375"D x 74"H  
**CABINET DIMENSIONS:** 12.125"W x 9.5"D x 52.75"H  
**SHIPPING LOADS:** 40'HQ ~ 135 / 53' ~ 185



[CLICK TO VIEW G-11C QUICK SPEC](#)



GCG-11c	Total Capacity
12 oz. Can	96
16 oz. Can	84
20 oz. PET	60

**CABINET DIMENSIONS:** 16"W x 16.375"D x 74"H  
**CABINET DIMENSIONS:** 12.125"W x 9.5"D x 52.75"H  
**SHIPPING LOADS:** 40'HQ ~ 135 / 53' ~ 185



[CLICK TO VIEW GCG-11C QUICK SPEC](#)



G-12	Total Capacity
12 oz. Can	384
16 oz. Can	288
20 oz. PET	203

**CABINET DIMENSIONS:** 25"W x 24.125"D x 63.5"H  
**INTERIOR DIMENSIONS:** 21.375"W x 18.5"D x 50.125"H  
**SHIPPING LOADS:** 40'HQ ~ 54 / 53' ~ 72



[CLICK TO VIEW G-12 QUICK SPEC](#)



GCG-12	Total Capacity
12 oz. Can	384
16 oz. Can	288
20 oz. PET	203

**CABINET DIMENSIONS:** 25"W x 24.125"D x 63.5"H  
**INTERIOR DIMENSIONS:** 21.375"W x 18.5"D x 50.125"H  
**SHIPPING LOADS:** 40'HQ ~ 54 / 53' ~ 72



[CLICK TO VIEW GCG-12 QUICK SPEC](#)

# 2024 Quick Specs

## ▶ UPRIGHT COOLERS

## REFRIGERATION CATALOG



G-26c	Total Capacity
12 oz. Can	650
16 oz. Can	570
20 oz. PET	360

CABINET DIMENSIONS: 30"W x 30.5"D x 78.375"H  
 INTERIOR DIMENSIONS: 26.5"W x 25.125"D x 51.5"H  
 SHIPPING LOADS: 40'HQ ~ 45 / 53' ~ 60

[CLICK TO VIEW G-26C QUICK SPEC](#)



GCG-26c	Total Capacity
12 oz. Can	650
16 oz. Can	570
20 oz. PET	360

CABINET DIMENSIONS: 30"W x 30.5"D x 78.375"H  
 INTERIOR DIMENSIONS: 26.5"W x 25.125"D x 51.5"H  
 SHIPPING LOADS: 40'HQ ~ 45 / 53' ~ 60

[CLICK TO VIEW GCG-26C QUICK SPEC](#)



G-28	Total Capacity
12 oz. Can	800
16 oz. Can	640
20 oz. PET	432

CABINET DIMENSIONS: 30"W x 29.625"D x 78.625"H  
 INTERIOR DIMENSIONS: 26.5"W x 25.125"D x 63.75"H  
 SHIPPING LOADS: 40'HQ ~ 42

[CLICK TO VIEW G-28 QUICK SPEC](#)



GCG-28	Total Capacity
12 oz. Can	800
16 oz. Can	640
20 oz. PET	432

CABINET DIMENSIONS: 30"W x 29.625"D x 78.625"H  
 INTERIOR DIMENSIONS: 26.5"W x 25.125"D x 63.75"H  
 SHIPPING LOADS: 40'HQ ~ 42

[CLICK TO VIEW GCG-28 QUICK SPEC](#)

## ▶ DOUBLE DOOR COOLERS



G-37 (swing doors)	Total Capacity
12 oz. Can	894
16 oz. Can	798
20 oz. PET	480

CABINET DIMENSIONS: 43.375"W X 29.75"D X 79"H  
 INTERIOR DIMENSIONS: 39.125"W X 22.375"D X 61.5"H  
 SHIPPING LOADS: 40'HQ ~ 30 / 53' ~ 42

[CLICK TO VIEW G-37 QUICK SPEC](#)



G-45c (slide doors)	Total Capacity
12 oz. Can	1040
16 oz. Can	816
20 oz. PET	576

CABINET DIMENSIONS: 51"W X 29.75"D X 79"H  
 INTERIOR DIMENSIONS: 47.5"W X 27.375"D X 54.5"H  
 SHIPPING LOADS: 40'HQ ~ 24 / 53' ~ 36

[CLICK TO VIEW G-45C QUICK SPEC](#)



G-49c (swing doors)	Total Capacity
12 oz. Can	1152
16 oz. Can	864
20 oz. PET	583

CABINET DIMENSIONS: 54.375"W X 29.75"D X 79.5"H  
 INTERIOR DIMENSIONS: 49.75"W X 25.5"D X 60.625"H  
 SHIPPING LOADS: 40'HQ ~ 22

[CLICK TO VIEW G-49C QUICK SPEC](#)



GPT33-54fg (pass-thru)	Total Capacity
12 oz. Can	432
16 oz. Can	288
20 oz. PET	198

CABINET DIMENSIONS: 39.5"W X 24.375"D X 53.125"H  
 INTERIOR DIMENSIONS: 35.5"W X 18"D X 33"H  
 SHIPPING LOADS: 40'HQ ~ 33

[CLICK TO VIEW GPT33-54FG QUICK SPEC](#)



The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.

8225 Boston Place, Rancho Cucamonga CA 91730 | 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756

# 2024 Quick Specs

## ▶ IMPULSE COOLERS

## REFRIGERATION CATALOG



G-77	Total Capacity
12 oz. Can	80
16 oz. Can	60
20 oz. PET	40
CABINET DIMENSIONS: 22.375"D x 32.625"H	
INTERIOR DIMENSIONS: 18"W x 18.75"H	
SHIPPING LOADS: 40'HQ ~ 240 / 53' ~ 208	

[CLICK TO VIEW G-77 QUICK SPEC](#)



RCM-77	Total Capacity
12 oz. Can	64
16 oz. Can	44
20 oz. PET	34
CABINET DIMENSIONS: 22.5"D x 32.75"H	
BASKET: 14.88"D x 17.83"H	
SHIPPING LOADS: 40'HQ ~ 240 / 53' ~ 208	

[CLICK TO VIEW RCM-77 QUICK SPEC](#)



G-80	Total Capacity
12 oz. Can	80
16 oz. Can	60
20 oz. PET	38
CABINET DIMENSIONS: 18"D x 42.25"H	
BASKET: 14.5"D x 12.125"H	
SHIPPING LOADS: 40'HQ ~ 240 / 53' ~ 312	

[CLICK TO VIEW G-80 QUICK SPEC](#)



G-80L	Total Capacity
12 oz. Can	80
16 oz. Can	60
20 oz. PET	40
CABINET DIMENSIONS: 18"W x 20.25"D x 43.25"H	
BASKET: 14.17"D x 12.46"H	
SHIPPING LOADS: 40'HQ ~ 192 / 53' ~ 312	

[CLICK TO VIEW G-80L QUICK SPEC](#)



RCM <sup>2</sup>	Total Capacity
12 oz. Can	78
16 oz. Can	64
20 oz. PET	37
CABINET DIMENSIONS: 22"W x 17.5"D x 39.375"H	
INTERIOR DIMENSIONS: 14.83"W x 8.9"D x 23.59"H	
SHIPPING LOADS: 40'HQ ~ 182 / 53' ~ 208	

[CLICK TO VIEW RCM<sup>2</sup> QUICK SPEC](#)



TEQ <sup>2</sup>	Total Capacity
12 oz. Can	78
16 oz. Can	64
20 oz. PET	37
CABINET DIMENSIONS: 22"W x 17.5"D x 39.75"H	
BASKET: 15.125"W x 9.625"D x 24"H	
SHIPPING LOADS: 40'HQ ~ 182 / 53' ~ 208	

[CLICK TO VIEW TEQ<sup>2</sup> QUICK SPEC](#)



RCM-TEQ <sup>2</sup>	Total Capacity
12 oz. Can	78
16 oz. Can	64
20 oz. PET	37
CABINET DIMENSIONS: 22"W x 16.625"D x 39.5"H	
BASKET: 15.125"W x 9.75"D x 24"H	
INTERIOR DIMENSIONS: 15.75"W x 10.375"D x 24.5"H	
SHIPPING LOADS: 40'HQ ~ 182 / 53' ~ 306	

[CLICK TO VIEW RCM-TEQ<sup>2</sup> QUICK SPEC](#)



IC-90	Total Capacity
12 oz. Can	90
16 oz. Can	67
20 oz. PET	60
CABINET DIMENSIONS: 47.25"W x 20"D x 15.4"H	
FRONT SHELF: 44.125"W x 7.2"D x .33"H	
BACK SHELF: 30.9"W x 7.6"D x .33"H	
SHIPPING LOADS: 40'HQ ~ TBD / 53' ~ TBD	

[CLICK TO VIEW IC-90 QUICK SPEC](#)



## REFRIGERATION CATALOG



Trio Impulse	Total Capacity
12 oz. Can	162
16 oz. Can	114
20 oz. PET	63
<b>CABINET DIMENSIONS:</b> 32"W x 20"D x 35.5"H	
<b>BASKET:</b> 8.93"W x 10.59"D x 21.25"H	
<b>INTERIOR DIMENSIONS:</b> 26.79"W x 10.59"D x 21.25"H	
<b>SHIPPING LOADS:</b> 40'HQ ~ 110 / 53' ~ 150	



 [CLICK TO VIEW TRIO QUICK SPEC](#)



RCM Trio	Total Capacity
12 oz. Can	72
16 oz. Can	72
20 oz. PET	42-51
<b>CABINET DIMENSIONS:</b> 32.5"W x 19.25"D x 38"H	
<b>BASKET:</b> 7"W x 9.125"D x 19.25"H	
<b>SHIPPING LOADS:</b> 40'HQ ~ 110 / 53' ~ 150	



 [CLICK TO VIEW RCM TRIO QUICK SPEC](#)



G-4.35	Total Capacity
12 oz. Can	108
16 oz. Can	108
20 oz. PET	78
<b>CABINET DIMENSIONS:</b> 21.25" X 23.625" X 33.375"	
<b>INTERIOR DIMENSIONS:</b> 18"W X 18"D X 28.375"H	
<b>SHIPPING LOADS:</b> 40'HQ ~ 152 / 53' ~ TBD	



 [CLICK TO VIEW G-4.35 QUICK SPEC](#)



GCG-4.35	Total Capacity
12 oz. Can	108
16 oz. Can	108
20 oz. PET	78
<b>CABINET DIMENSIONS:</b> 21.25" X 23.625" X 33.375"	
<b>INTERIOR DIMENSIONS:</b> 18"W X 18"D X 28.375"H	
<b>SHIPPING LOADS:</b> 40'HQ ~ 152 / 53' ~ TBD	



 [CLICK TO VIEW GCG-4.35 QUICK SPEC](#)

## Why IDW?

Our team of experienced professionals manage all functions of production and distribution; including product development, engineering, quality control, logistics, warehousing and door to door delivery.

# 2024 Quick Specs

## REFRIGERATION CATALOG



### Customer Service

877.307.COOL (2665)  
orders@idw-usa.com



### Parts Ordering

877.307.COOL (2665)  
orderdesk@idw-usa.com



### Service Department

877.307.COOL (2665)  
service@idw-usa.com

## South Carolina



## California



**Our Warehouses Are Full & Ready To Serve You!**



The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.

📍 8825 Boston Place, Rancho Cucamonga CA 91730 📞 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756